

FOREFRONT 659E4660




FIG. 1

TOFEBD" 659EH660




FIG. 2




FIG. 3

094359 08310
FOR E80" 659E4660




FIG. 4




FIG. 5

T07E80" 69921660




FIG. 6

Experimental Protocol

5TGM1




Figure 7

Serum IgG₂ levels in 5TGM1-bearing mice




Figure 8

Tumor Volume in Bone




Figure 9

EFFECT OF PS/2 mAb TREATMENT ON SPLEEN WEIGHT




Figure 10

EFFECT OF PS/2 TREATMENT ON SPLENOCYTES IN MICE WITH 5TGM1 MYELOMA





Figure 11

EFFECT OF PS/2 mAb TREATMENT ON SPLENOCYTE FACS PROFILE

DISEASE FREE




File: do111700.077
Gate: G1
Total Events: 10707

Acquisition Date: 17-Nov-00
Gated Events: 9624
Quad Location: 523, 25

Quad	Events	% Gated	% Total	X Mean	Y Mean
UL	9499	98.70	88.72	37.11	1120.67
UR	3	0.03	0.03	5084.96	773.52
LL	122	1.27	1.14	31.88	11.09
LR	0	0.00	0.00	***	***

UNTREATED




File: do111700.100
Gate: G1
Total Events: 11100

Acquisition Date: 17-Nov-00
Gated Events: 9526
Quad Location: 523, 25

Quad	Events	% Gated	% Total	X Mean	Y Mean
UL	4959	52.06	44.68	84.30	1023.41
UR	1388	14.57	12.50	2377.81	704.20
LL	2163	22.71	19.49	50.53	6.64
LR	1016	10.67	9.15	3619.03	4.05

PS/2 TREATED




File: do111700.120
Gate: G1
Total Events: 10934

Acquisition Date: 17-Nov-00
Gated Events: 9561
Quad Location: 523, 25

Quad	Events	% Gated	% Total	X Mean	Y Mean
UL	7868	82.29	71.96	58.00	1139.33
UR	310	3.24	2.84	1922.82	897.47
LL	1171	12.25	10.71	42.10	8.17
LR	212	2.22	1.94	3153.17	3.62

rat IgG2b TREATED



File: do111700.137
Gate: G1
Total Events: 10970

Acquisition Date: 17-Nov-00
Gated Events: 9595
Quad Location: 523, 25

Quad	Events	% Gated	% Total	X Mean	Y Mean
UL	4910	51.17	44.76	84.85	975.19
UR	1384	14.42	12.62	1937.36	694.49
LL	1704	17.76	15.53	48.67	7.00
LR	1597	16.64	14.56	3286.15	2.68

Figure 12

EFFECT OF PS/2 mAb TREATMENT ON SPEEN TUMOR BURDEN




Figure 13

107E80" 659Eh660

EFFECT OF PS/2 mAB TREATMENT ON BONE MARROW CELLS IN MICE WITH 5TGM1 MYELOMA




Figure 14

EFFECT OF PS/2 TREATMENT ON BONE MARROW TUMOR BURDEN
mIgG2b POSITIVE CELLS




Figure 15

TOLEDO 659E4660

EFFECT OF PS/2 mAb TREATMENT ON 5TGM1 CELLS IN THE BLOOD




Figure 16

EFFECT OF PS/2 TREATMENT ON BLOOD CHEMISTRY




Figure 17

TOTEB0" 659E4660

EFFECT OF PS/2 mAb ON
CIRCULATION mIgG2b LEVELS






Figure 18

C57/BL/KaLwRaj MULTIPLE MYELOMA MODEL ACUTE TREATMENT PROTOCOLS

1 (200 microgram) PS/2 TREATMENT / 1 DAY N=3/GROUP



2 (200 microgram) PS/2 TREATMENTS/ 2 DAYS N=3/GROUP



6 (200 microgram) PS/2 TREATMENTS/6 DAYS N=5/GROUP




Figure 19

EFFECT OF PS/2 TREATMENT ON IgG2b POSITIVE CELLS ACUTE TREATMENT MODEL T07E80"659E4660




Figure 20

EFFECT OF ANTI VLA-4 ANTIBODY PS/2 ON TUMOR BURDEN IN SPLEEN




Figure 21

EFFECT OF 6 DAYS OF PS/2 TREATMENT




Figure 22

EFFECT OF 6 DAYS OF PS/2 TREATMENT ON BONE MARROW CELLS





Figure 23

C57/BIKa_wRaj MODEL OF MULTIPLE MYELOMA COMBINATION TREATMENT WITH PS/2 AND MELPAHLAN



**5TGM1 CELLS (1E6) WERE INJECTED (I.V.) ON DAY 0
EFFECTIVENESS OF TREATMENT WAS EVALUATED ON DAY 20 AND DAY 27**

GROUPS N=3/GROUP

DISEASE FREE CONTROL
UNTREATED MYELOMA CONTROL
MELPHALAN TREATMENT -- 100 MICROGRAMS/INJECTION
PS/2 TREATMENT --- 100 MICROGRAMS/INJECTION
MELPHALAN AND PS/2
MELPAHLAN AND rIgG2b ISOTYPE CONTROL

Figure 24

EFFECT OF TREATMENT ON mIgG2b PLASMA LEVELS




Figure 25

EFFECT OF TREATMENT ON MYELOMA CELLS AT DAY 27




Figure 26

EFFECT OF TREATMENT ON TUMOR BURDEN AT DAY 27

TOP-80-5534660




Figure 27

	Day 20	day 27
	PS/2 Plasma levels	PS/2 Plasma levels
8-PS/2	none detected	none detected
9-PS/2	none detect d	none detected
10-PS/2	none detected	none detected
11-melphalan+PS/2	none detected	none detected
12-melphalan+PS/2	3.7 μ g/ml	none detected
13-melphalan+PS/2	none detected	none detected

0943659 03101
T07E30" 659E4660

Figure 28

TOTEBD" 659E466D

C57/BIKaLwRaj MODEL OF MULTIPLE MYELOMA
PS/2 AND ANTI VLA4 SMALL MOLECULE
LONG TERM TREATMENT

DAY	4	5	6	9	12	15	19	20
0	↑	↑	↑	↑	↑	↑	↑	
	PS/2	PS/2	PS/2	PS/2	PS/2	PS/2	PS/2	
	Sm.	Sm.	Sm.	Sm.	Sm.	Sm.	Sm.	
	Mol.	Mol.	Nol.	Mol.	Mol.	Mol.	Mol.	

5TGM1 CELLS (1E6) INJECTED(I.V.) ON DAY 0
EFFECTIVNESS OF TREATMENT WAS EVALUATED ON DAY 20

GROUPS N=2/GROUP
DISEASE FREE CONTROL
UNTREATED MYELOMA CONTROL
PS/2 --100 micrograms/injection
Sm. Mol . 8809--3 mg/kg, 0.3 mg/kg or 0.03 mg/kg
Sm. Mol. 9257 CONTROL -- 3 mg/kg

Figure 29

EFFECT OF LONG TERM TREATMENT ON MYELOMA CELLS




Figure 30

EFFECT OF LONG TERM TREATMENT ON TUMOR BURDEN





Figure 31

T07E30"659E4650
 C57/BIKaLwRaj MODEL OF MULTIPLE MYELOMA
 PS/2 AND ANTI VLA4 SMALL MOLECULE
 ACUTE TREATMENT



5TGM1 CELLS (1E6) INJECTED(I.V.) ON DAY 0
 PS/2 WAS GIVEN ON DAYS 15,16,17,18,19 AND 20
 SMALL MOLECULE WAS GIVEN ON DAYS 15, 16 AND 17
 EFFECTIVNESS OF TREATMENT WAS EVALUATED ON DAY 21

- GROUPS N=2/GROUP
- DISEASE FREE CONTROL
 - UNTREATED MYELOMA CONTROL
 - PS/2 --100 micrograms/injection
 - 8809--3 mg/kg, 0.3 mg/kg or 0.03 mg/kg
 - 9257 CONTROL -- 3 mg/kg

Figure 32

EFFECT OF ACUTE TREATMENT ON MYELOMA CELLS




Figure 33

EFFECT OF ACUTE TREATMENT ON TUMOR BUREN




Figure 34

Experimental Protocol

5TGM1 Cells (10⁶/mouse)




Figure 35

Inhibition of Hindleg Paralysis




Figure 36